six months shelf-life remaining."

STATEMENT OF WORK FOR THE Rebuild of the SWITCHBOARD, TELEPHONE – AUTOMATIC SB-3865(P)/TTC NSN: 5805-01-187-9399

1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the SB-3865(P)/TTC, Switchboard, Telephone-Automatic, NSN 5805-01-187-9399, Part Number 1330002G1, CAGE 28528. The Switchboard, Telephone-Automatic, SB-3865(P)/TTC hereafter shall be referred to as the "SB-3865(P)/TTC". This document contains requirements to restore the SB-3865(P)/TTC to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than

- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

RS-08439-50 Switchboard, Telephone-Automatic, SB-

3865(P)/TTC

TM 08439A-34/3 Switchboard, Telephone-Automatic, SB-

3865(P)/TTC

TM 08439A-14P/4 Switchboard, Telephone-Automatic, SB-

3865(P)/TTC

SOW-05-PMM122-08439A-1/1

11 September 2002

TM 08349A/08440A Application Program Set, AN/PSM-64

Engineering Drawing Switchboard, Telephone, Automatic

1330002 CAGE 28528

Engineering Drawing Module Switch Assembly 1330150 CAGE 28528

Engineering Drawing Parts List, Module Switch Assembly

1330150 CAGE 28528

Engineering Drawing Power Supply Assembly 1330983 CAGE 28528

Engineering Drawing Parts List, Power Supply Assembly 1330983 CAGE 28528

Engineering Drawing Diaphase TACOM Switchboard Production Test

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbook (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards.

1333052 CAGE 28528

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems – Requirements

Industry Standard (For Guidance)

ANSI/EIA-649 National Consensus Standards for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer

43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 The Contractor shall rebuild the SB-3865(P)/TTC in accordance with RS-08439-50, TM 08439A-34/3, TM 08439A-14P/4, TM 08349A/08440A, and Engineering Drawings 1330002, 1330150, 1330983, 1330052, and Parts Lists 1330150 and 1330983, CAGE 28528.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- a. The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with Level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be to Level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)
 The Management Control Activity (MCA/Code 573-2) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to: Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 Quality Assurances Provisions. The Contractor shall provide and maintain a Quality

System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Ouality Management Systems – Requirements.

- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

CONTRACT DATA REQUIREMENTS LIST

G. PREPARED BY:

DE FORM 1423-1, AUG 96 (EG)

Form Approved

17. PRICE GRO

18. ESTIMATE TOTAL PR

OMB No. 1704-0188 The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202 4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed from to the Government issuing Contract Officer for the contract/PR No. listed in block E. A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TM Other XXX D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR SWITCHBOARD, TELEPHONE-AUTOMATIC SB-3865(P)/TTC DATA ITEM 2 TITLE OF DATA ITEM 3. SUBTITLE Request for Deviation Configuration Management A001. 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE 3.3 DI-CMAN-80640C MCLBA (583-1) DIST STATEMENT 7. DD 250 REQ. 12. DATE OF FIRST SUBMISSION 10 FREQUENCY DISTRIBITION REQUIRED **ASREQ** h COPIES LT See Block 16 DATE OF SUBSEQUENT SUBMISSION 8. APP CODE 11 AS OF DATE a. ADDRESSEE Α Draft Rcg 16. REMARKS MCLBA 583-1 0 0 Blk 4 - Contractor format submitted in .pdf or .doc format is authorized. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.

15. TOTAL

9-10-02 Page 1 of 1 Pages erform Pro, WHS/D/or, Aug 96

J. DATE

0